	Type	L #	Hits	Search Text	DBs
1	BRS	L1	32414	(hash$3 AND (index OR indices OR key$3) AND (compare$ OR match$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L2	864	((hash$3 AND (index OR indices OR key$3) AND (compar$3 OR match$3) AND (MAC NEAR3 Address$3)) AND pointer$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L3	2275	(hash$3 AND (index OR indices OR key$3) AND (compar$3 OR match$3) AND (MAC NEAR3 Address$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
4	BRS	L5	781	(search$3 or retriev$3 or register$3) with (hash$3) with index$3 and (memory same table$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
5	BRS	L6	2206	L1 and (memory adj3 table$1) and hash$3 and (index$3 or entr$3 or key$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
6	BRS	L8	229	(Mori-Masaya or Takatsu-Yoshihisa or Watanabe-Shinpei or Sunaga-Toshio).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
7	BRS	L10	1134	(hash$3 AND (index OR indices OR key$3) AND (compare$ OR match$3)) and (memory adj2 table$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
8	BRS	L13	20	L12 and 709/238,243.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
9	BRS	L15	18141	hash$3 AND (index OR indices OR key$3 OR indexes OR entry OR entries) AND (pointer$1 OR indirect$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
10	BRS	L16	1806	hash$3 AND (index OR indices OR key$3 OR indexes OR entry OR entries) AND (memory same (pointer$1 and table$1) and indirect$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
11	BRS	L18	1513	hash$3 AND (index OR indices OR key$3 OR indexes OR entry OR entries) AND (memory same (addresses and pointer$1 and table$1) and indirect$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
12	BRS	L4	96	(search$3 or retriev$3 or register$3) with (hash$3) with index$3 and (memory adj2 table$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
13	BRS	L9	4	L1 and L8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
14	BRS	L14	33	L12 and 711/216,220.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
15	BRS	L19	90	L16 and 707/1,3,10.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
16	BRS	L11	107	370/392,389,351,352,395,400,474.ccls. and L10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
17	BRS	L17	124	L16 and 707/1-10.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
18	BRS	L7	401	(search$3 or retriev$3 or register$3) and (hash$3) and index$3 and (memory adj2 table$1) and (collision$3 or conflict$3 or synonym$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
19	BRS	L20	564	(hash$3 AND (index OR indices OR key$3) AND (compare$ OR match$3)) and (memory and (addresses and table$1 pointer$1))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB
20	BRS	L12	726	(hash$3 AND (index OR indices OR key$3) AND (compare$ OR match$3)) and ((memory adj2 table$1) and pointer$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
21	BRS	L21	168	register$3 and retriev$3 and ((first second) with (hash near3 function$3)).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
22	BRS	L22	46	register$3 and retriev$3 and (((first second) with (hash near3 function$3)) and table).clm.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB
23	BRS	L23	6939	((memor$3 OR block$1 OR bank$3 OR page$1) NEAR4 (subordinat$3 OR second OR indirect$3)) SAME (pointer$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
24	BRS	L24	77	23 and 711/216,220.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB